

Parts Cleaning

Article Number StandardArticle Number Stainless Steel	Description	Picture
SR-BS-A	Option: Spray gun with quick change coupling device, 2 m spray hose with entroficted and plytamidard equal jet nozzle is not articulded if this option gernon offer.	vices.
From 2021 pa		
ESR-BS-A	In stainless steel version fixed tight, without nipple!	
SR-BS	Retrofit Kit: Spray gun with quick change coupling device, 2 m spray hose with heat protection and plug nipple.	
ESR-BS	In stainless steel version fixed tight, without nipple!	
SR-ST	Standard jet nozzle with protective cap. Flat fan with 25° L= 225mm	3
ESR-ST	From 2021 part of standard equipment of devices (of series SR)	
SR-IR	Slim nozzle for deep holes	
	Flat fan with 25°	
ESR-IR	L= 210mm	

Hollow cone nozzle

Fan with 120° angle

L= 195mm

for tubes and blind holes

SR-HO

ESR-HO



Parts Cleaning

Article Number StandardArticle Number Stainless Steel	Description	Picture
SR-SL	Rigid, thin nozzle for blind holes and tubes	
	Diffused jet	
	D= 4 mm, L= 245 mm	
ESR-SL	D= 1111111,	
SR-ES	Rigid, thin nozzle	
	for blind holes and collectors of electrostatic filters	
	4 diffused jets at 90° angle	- La
ESR-ES	D= 5 mm, L= 355 mm	
SR-FX	Flexible nozzle	
	for holes and tubes	
ESR-FX	2 diffused jets at 180° angle on the side L= 510 mm	
SR-PT	Needle jet nozzle with protective cap	
	for stubborn grime	
	Jet diameter ~ 1 mm	
ESR-PT	L= 225 mm	
SR-PI	Synthetic brush-nozzle	
	for surfaces	
ESR-PI	L= 140 mm	
	I	1

Stainless steel brush-nozzle

for stubborn grime

L= 125 mm

SR-PIE

ESR-PIE



Parts Cleaning

Parts Cleaning		
 Article Number Standard Article Number Stainless Steel 	Description	Picture
SR-BA	Adapter for Mink brushes in variable configurations	
SR-TB	Brush plate Mink incl. adapter SR-BA D= 45 mm L= 90 mm	
SR-FA	Off-center nozzle with high performance for surfaces. Reduced temperature and pressure at high throughputs. Only for series 1000	asymmetrischer Flachstrahl
ESR-FA	L= 210 mm	
SR-ND	Thin needle jet nozzle with protective cap for small holes and blind holes Minimum pressure 4 bar	
ESR-ND	Outer D= 2,5 mm, L= 90 mm	
SR-RT	Rotary table in aluminium Max. load capacity 40 kg D= 300 mm	
SR-AU N	Holder for changeable inserts Stainless steel, fits on collector rim	

3

L= 400 mm

Grid protection mat, vinyl

for model 1000 SR


SR-SM

+49-711-518 0600



Machines and large parts cleaning

machines and rarge parts creating		
Article Number StandardArticle Number Stainless Steel	Description	Picture
SR-BSL-A	Option: Spray gun for lance with manual screw connection, 5m spray hose, heat protective de and nipple. Standard automorphic uded if this	vices.
From 2021 p	connection, 5m spray hose, heat protective de and nipple. Standard equipment uded if this artiof istandard. Therefore no longer on offer.	
ESR-BSL-A	In stainless steel version fixed tight, without nipple!	
SR-BSL	Retrofit kit: Spray gun for lance with manual screw connection, 5m spray hose, heat protection and nipple.	



	L= 80 mm	
SR-AD	Adapter from manual screw connection to quick change coupling L= 88 mm	
SR-LH	Bracket for 3 spray lances, mountable at handle of cleaning machine L= 200 mm	

SRK-LH



Machines and large parts cleaning

Article Number

Standard • Article Number Stainless Steel	Description	Picture
SR-LA 600 SR-LA 900 SR-LA 1200	Lance 600 / 900 / 1200 mm as a changeable insert with nipple for hand screw coupling and power nozzle. Flat jet 25°	
ESR-LA 600 ESR-LA 900 ESR-LA 1200	From 2021, spray lance SR-LA 600 is included as standard equipment of the device In stainless steel, fixed on the machine	
SR-KL 850 SR-KL 1000 SR-KL 1500	Push & pull lance 850 / 1000 / 1500 mm incl. nipple for hand screw coupling and power nozzle	
SR-034E ESR-034E	5 m extension hose with quick change coupling and nipple For machine and large parts cleaning	

Special nozzles, lances and hoses on demand!